







Effex® High Efficiency Gas Water Heater

Effortless Efficiency

It's a simple fact: the Effex is the most efficient and advanced conventional vent gas water heater on the market. This makes it an ideal choice for homeowners who want to replace their older, inefficient water heater without the hassle. This ENERGY STAR® compliant water heater also comes with another irresistible benefit: significant savings on utility bills.



AT A GLANCE:

- ENERGY STAR® rated
- Save up to 25% on water heating costs
- .70 EF
- Easy installation in replacement applications can use existing venting connections
- Advanced electronic control with LCD display (easy temperature adjustments and diagnostics)
- Electronic ignition—no standing pilot
- Advanced powered anode rod provides exceptional performance in all water conditions



High Efficiency, Big Savings

Thanks to its low operating costs, the Effex® can translate into significant savings for the homeowner over the course of its lifespan. In fact,

with its .70 EF (compared to an average .53 EF of a ten-year-old gas product), the Effex can generate savings of up to 25% of annual operating cost.

How Does The Effex Work?

The high efficiency performance of the Effex model is possible thanks to its patented air intake system. Air is pushed into the combustion chamber, creating a pressurized environment. Due to this "turbo charge" effect, tighter baffling is incorporated in the flue design to slow down the hot gas as it travels through the water heater. This results in more heat transferred to the water and less energy wasted.

- 1 Easy-to-read LCD
- 2 Tighter baffling
- Patented air intake



Advanced electronic control features consist of electronic ignition, thermistor sensing and microprocessor intelligence, resulting in tighter differentials, improved temperature control and more consistent hot water delivery.



Easy Installation

Weary of hassles involved in a high efficiency water heater installation? With the Effex, there's not much to worry about. For starters, it uses standard water and gas connections. It easily connects to existing B-vent on replacements, and it can be common vented. No wonder it is known as effortless.

Effex® Gas Water Heater										
Model Number	Gallon Capacity	Energy Factor	BTU Input per Hour	Recovery at 90° Rise	First Hour Rating	Foam Thickness		nsions Diameter	Draft Hood Outlet	Shipping Weight (lbs)
GAHH-40	40	0.70	40,000	43	70	2	61-3/4	20	3 or 4	157
GAHH-50	50	0.70	40,000	43	81	2	60-5/8	22	3 or 4	171

All dimensions in inches. Recovery based on actual performance tests. Water connections – 3/4" on all models. Not available in LP gas (propane). Certified for installations up to 5500 ft. elevations.





500 Tennessee Waltz Pkwy Ashland City, TN 37015 www.hotwater.com